Astragalus

Known as Huang qi in Chinese Medicine Latin Name: Astragalus membranaceus

IMMUNE SYSTEM; TONIC

Use ROOTS

Native to CHINA

More than 2,000 years use in Traditional Chinese Medicine: VITALITY; To TONIFY; RESISTANCE to Disease and STRESS

QUALITIES

1) IMMUNE SYSTEM

- More White Blood Cells produced; T-Cell function Support
- Immune Strength; Immune Tonic; COLDS; Asthma
- LIVER and SPLEEN; Protects healthy cells from Chemotherapy and Radiation Therapy Damage
- Eliminates Toxins; Inhibits TUMOR growth
- Numerous Chinese CANCER Patient Studies revealed: Reduced TUMORS; Improved SURVIVAL rates; Better QUALITY of LIFE; Reduced Chemotherapy TOXICITY

2) HEART TONIC

- Blood Pressure Normalized; Reduced CLOTTING; VASO-DILATION; Improved Circulation
- 3) KIDNEYS
- URINE FLOW; Bladder Infections
- RENAL Protection
- 4) ENERGY
- Nourishes EXHAUSTED ADRENALS; Combats FATIGUE
- ENERGY: considered on par or superior to GINSENG
- DIABETES and BLOOD/GLUCOSE levels
- 5) OTHER
- TISSUE Healing
- BILE FLOW; DIGESTIVE FLUID FLOW

Astragalus References

Herb History and General Information

Foster, Steven and Rebecca L. Johnson, *Desk Reference to Nature's Medicine*. Washington, D.C.: National Geographic (2006); pp 28-29

Memorial Sloan Kettering Cancer Center. See www.aboutherbs.com accessed July 26, 2014

Ritchason, Jack, N.D., *The Little Herb Encyclopedia*. Pleasant Grove, Utah: Woodland Health Books; 1995; pp 14-15

Studies

SUMMARY of Numerous PubMed Studies (see below): Immune System (9); Allergies (1); Herpes (1); Lupus (4); Asthma (1); Pneumonia (1); Tonsilities (1); Hepatitis (2); Cancer/ Chemo Toxins (7); Energy (3); Liver (3); Heart Health (18); Renal Health (14); Diabetes and blood-glucose (3); Anti-Oxidant (1); Tissue/ Graft growth (2)

Ahmed 2007 at www.pubmed.gov accessed July 30, 2014. The clinical course of the patient of a 77-year-old woman with nephrotic syndrome secondary to idiopathic membranous nephropathy (IMN) suggests that Astragalus may have beneficial effects in patients with IMN as it markedly decrease the proteinuria.

Brush 2006 at www.pubmed.gov accessed July 30, 2014. A pilot studyassessed the ability of three herbs, Echinacea purpurea, Astragalus membranaceus and Glycyrrhizaglabra, to activate immune cells in human subjects and their I tinctures stimulated immune cells as quantified by CD69 expression on CD4 and CD8 T cells.

Cai 2006 at www.pubmed.gov accessed July 30, 2014. Radix Astragli Inj. can enhance inhibitory function of corticosteroid / immunosuppressant on apoptosis & regulate ratio & function of T lymphocyte subsets to normal which is useful to enhance the efficacy of treatment to patients with syst. lupus erythematosus.[Article in Chinese]

Cha 1994 at www.pubmed.gov accessed July 30, 2014. Adding TCM (leaf of Asiatic Ginseng, root of Astragalus membranaceus Bge, etc) and other adjuvants to chemotherapy improved cancer survival in small cell lung cancer patients

Chen 1990 at www.pubmed.gov accessed July 30, 2014. 51 cases of chronic hepatitis treated with Jiedu Yanggan Gao consisting of Astragalus membranaceus showed a total effective rate of 74.5% where as control group of 45 cases treated with 3 charred medicinal herbs had a total effective rate of 24.4%. [Article in Chinese].

Chen 1995 at www.pubmed.gov accessed July 30, 2014. Astragalus membranaceus strengthen the left ventricular[LV] function and had an effect of anti- oxygen free radical in 43 patients with acute myocardial infarction. The ratio of pre-ejection period/LV

ejection time correlated with superoxide dismutase and lipid peroxidation. [Article in Chinese].

Chen 1995 at www.pubmed.gov accessed July 30, 2014. Left ventricular function and superoxide dismutase activity of red blood cell was increased in a study with 43 acute myocardial infarction patients

Chen 2004 at www.pubmed.gov accessed July 30, 2014. A study on the effects of Astragali inj.(AI) in 60 patients with primary nephritic syndrome (PNS) shows AI plays a protective role in PNS as it increases serum albumin & decreases Urinary retinol-binding protein,N-Acety-P-beta-Glucosaminidase& beta2- Microglobulin. [Article in Chinese]

Cho 2009 at www.pubmed.gov accessed July 30, 2014. Arandomised, double-blind, controlled pilot study in 36 adultsshowed that Myelophil, an extract mix of Astragali Radix and Salviae Radix, 3g per day orally ameliorates chronic fatigue.

Dai 2002 at www.pubmed.gov accessed July 30, 2014. The total effective rate of 89.47% was observed in 76 patients with chronic prostatitis administered Nanmiqing capsule (with Astragalus memberanaceus as one of the ingredient), compared to the control group (71.88%). [Article in Chinese].

Dong 1987 at www.pubmed.gov accessed July 30, 2014. Changes in proteinuria, renal function and immunity after treatment with injections of a solution of Astragalus membranaceus " (Chinese, no abstract)

Duan 2002 at www.pubmed.gov accessed July 30, 2014. Astragalus injection supplemented with chemotherapy by i.v in 120 tumour patients showed inhibition of tumor development, decreased chemotherapy toxicity, elevated immune function of organism and improved quality of life in patients. [Article in Chinese].

Gao 2006 at www.pubmed.gov accessed July 30, 2014. The immunomodulatory effects of DangguiBuxue Tang (DBT), a Chinese medicinal decoction that contains Radix Astragali& Radix AngelicaeSinensis were revealed to be the strongest in the extract derived from the drug ratio of 5 : 1 and DBT has been optimized in stimulating immune responses.

Gu 1996 at www.pubmed.gov accessed July 30, 2014. The combination therapy of western and traditional Chinese medicine including Astragalus membranaceus was an effective method in treating 30 patients with acute viral myocarditis. [Article in Chinese].

Haines 2008 at www.pubmed.gov accessed July 30, 2014. A randomized,placebo-controlled study examined the effect of a Chinese preparation (Dang GuiBuxueTang) (DGBT) a 1:5 combination of Angelicaesinensis&Astragalus membranaceus on menopausal symptoms which showed that DGBT was superior to placebo in mild hot

flushes.

Huang 1995 at www.pubmed.gov accessed July 30, 2014. Sanhuang (Astragalus membranaceus, Coptis chinensis, Scutellaria baicalensis) inhibits platelet aggregation in patients as well as aspirin 50 mg/day

Huang 1995 at www.pubmed.gov accessed July 30, 2014. T-lymphocyte profile of peripheral blood is improved by A. membranaceus therapy in viral myocarditis patients

Huang 1995b at www.pubmed.gov accessed July 30, 2014. Routine therapy combined with Astragalus membranaceus could significantly enhance OKT3, OKT4 and OKT4/OKT8 ratio in patients with viral myocarditis. [Article in Chinese].

Jin 1991 at www.pubmed.gov accessed July 30, 2014. Erythrocyte sodium content decreased and the sodium pump activity increased after 14 days of A. membranaceus 24 g/d i.v. in 45 coronary heart disease patients compared with 22 controls

Lee 2005 at www.pubmed.gov accessed July 30, 2014. Human groups taking medicinal herb tea (MHT) with Astragalus membranaceus for 4 weeks underwent reduced smoking withdrawal symptoms compared to non-MHT taking subjects & 38% of subjects taking MHT succeeded in smoking cessation, while 12% of non-MHT succeeded to quit smoking.

Leehey 2010 at www.pubmed.gov accessed July 30, 2014. [Remission of membranous nephropathy after therapy with Astragalus membranaceus].

Lei 1994 at www.pubmed.gov accessed July 30, 2014. Cardiac output increased from 5.1 to 5.9 L/min after 2 weeks Astragalus membranaceus in 20 angina patients

Lei 1994 at www.pubmed.gov accessed July 30, 2014. Astragalus membranaceus, a Qi-tonic, increased the cardiac output from 5.09 +/- 0.21 to 5.95 +/- 0.18 L/min 2 weeks after it was administered in 20 patients with angina pectoris. [Article in Chinese].

Li 1992 at www.pubmed.gov accessed July 30, 2014. Shen-Qi (Ginseng-Astragalus) injection along with chemotherapy treatment reduced the toxic effects produced by chemical agents and increased the patient's body weight in 176 cases of malignant tumor of the digestive tract. [Article in Chinese].

Li 1992 at www.pubmed.gov accessed July 30, 2014. Shen-Qi (Ginseng-Astragalus) reduced the toxic effects of chemotherapy in 176 cases of malignant tumor of the digestive tract, maintaining immunology parameters

Li 1995 at www.pubmed.gov accessed July 30, 2014. The treatment of 92 ischemic heart diseased patients with Astragalus membranaceus was significantly more effective than Nifedipine and Tab.Salviae miltiorrhizae treated group with 82.6% improvement in

electrocardiogram. [Article in Chinese].

Li 1995 at www.pubmed.gov accessed July 30, 2014. Angina relief was obtained with A. membranaceus in a study comparing it against nifedipine & Salvia in 92 ischemic heart disease patients

Li 1998 at www.pubmed.gov accessed July 30, 2014. Han-Dan-Gan-Le, a Chinese mixture of Salvia miltorrhiza, Radix paeoniae, Astragalus membranaceus, Stephania tetrandra, & Ginkgo biloba leaves, has been used to treat human liver fibrosis and cirrhosis for years

Li 2011 Astragalus injection had more therapeutic effect in diabetic nephropathy (DN) patients including renal protective effect (BUN, SCr, CCr and urine protein) and systemic state improvement (serum albumin level) compared with the control group.

Liao 1989 at www.pubmed.gov accessed July 30, 2014. Coronary heart disease improvement of angina (episodes reduced 90%), ischemic ST-T in ECG (56%), treadmill exercise (348 to 503 M), left ventricular function, etc, by Yi-qi Huo-xue (Ginseng, Astragalus and Angelicae Sinensis

Liu 2001a at www.pubmed.gov accessed July 30, 2014. The elevated levels of the plasma endothelin-1, platelet granule membrane protein (GMP-140), thromboxane B2 and 24 hrs urinary albumin excretion rate in 86 early diabetic nephropathy patients were lowered by Astragalus injection treatment.[Article in Chinese].

Liu 2003 at www.pubmed.gov accessed July 30, 2014. Astragalus Injection improve the immune function [CD4 level and CD4/CD8 ratio increased, levels of soluble interleukin-2 receptor, IgG and IgA lowered significantly] in congestive heart failure (CHF) patients and can used in the treatment of CHF. [Article in Chinese].

Liu 2003 at www.pubmed.gov accessed July 30, 2014. Assessment of the effects of herbal medicines on clinical and indirect outcomes in patients with viral myocarditis indicates Astragalus membranaceus (either as single herb or compound of herbs) has significant effects on improving arrhythmia, CPK levels, and cardiac function.

Liu 2004 at www.pubmed.gov accessed July 30, 2014. Update of 2002 Cochrane evidence-based review of herbal medicines for viral myocarditis found that in low-quality studies performed in China Astragalus membranaceus (either as single herb or compound of herbs) showed significant effects on improving arrhythmia, CPK levels, and cardiac function.

Liu 2004 at www.pubmed.gov accessed July 30, 2014. Investigation on role of Astragalus (AS) &saponins of Panaxnotoginseng (PNS) in treating 94 patients with type 2 diabetic macroangiopathy shows besides accommodating lipid metabolism, AS & PNS can reduce serum MMP-9 so as to treat type 2 diabetic macroangiopathy. [Article

in Chinese]

Liu 2010 at www.pubmed.gov accessed July 30, 2014. Study on the effects of herbal medicines on clinical & indirect outcomes in patients with viral myocarditis shows Astragalus membranaceus (injection or granules) showed positive effects in symptom improvement, normalisation of electrocardiogram results, CPK levels& cardiac function.

Lu 1994 at www.pubmed.gov accessed July 30, 2014. Total cholesterol, triglyceride, apoproteins and lipoprotein-a decreased by Jian Yan Ling (Succinum, Pteria margaritifers & Astragalus membranaceus etc.) in a double blind study with 128 hyperlipemia patients.

Lu 2005 at www.pubmed.gov accessed July 30, 2014. Radix Astragali & Rhizoma Ligustici Chuanxiong decrease urinary albumin excretion & improve endothelial dysfunction in type 2 diabetic patients with micro-albuminuria by its anti-inflammatory, anti-oxidative & alleviating hypo-fibrinolytic/pro-thrombotic state. [Article in Chinese]

Mao 2004 at www.pubmed.gov accessed July 30, 2014. Astragalus membranaceus (AM) modulate the imbalance state of Th1/Th2 in 106 patients with herpes simplex keratitis (HSK) and improve their immune function disturbance which shows the significance of AM in treating HSK. [Article in Chinese]

Matkovic 2010 at www.pubmed.gov accessed July 30, 2014. Effect of Astragalus membranaceus in the treatment of 48 patients with seasonal allergic rhinitis, in a 6-weeks, double-blind, placebo-controlled clinical trial, showed a significant number of positive signals indicating the therapeutic effectiveness of the herbal & mineral complex.

Miller 1998 at www.pubmed.gov accessed July 30, 2014. Astragalus membranaceus, often used as a "Qi tonifier" to exert therapeutic benefit in treatment of ischemic heart disease, myocardial infarction, heart failure, and relief of anginal pain through its antioxidant activity.

Niu 2009 at www.pubmed.gov accessed July 30, 2014. Investigation of the effect of Compound Astragalus Recipe for regulating cellular immunity in 60 patients with myasthenia gravis revealed that its immuno-modulate effect may be due to regulation on lymphocyte subsets distribution and humoral immune function. [Article in Chinese]

Pan 2008 at www.pubmed.gov accessed July 30, 2014. [Radix Astragali: a promising new treatment option for systemic lupus erythematosus].

Qian 1987 at www.pubmed.gov accessed July 30, 2014. Synergism of Astragalus membranaceus with interferon in the treatment of cervical erosion and their antiviral activities " (chinese, clinical trial, no abstract)

Qian 1990 at www.pubmed.gov accessed July 30, 2014. Chronic cervicitis treatment by

interferon is synergized by Astragalus membranaceus

Qu 2008 at www.pubmed.gov accessed July 30, 2014. The effects of Astragalous Injection (AI) on oxidative stress & micro-inflammatory status in patients undergoing maintenance hemodialysis was analyzed which showed thatAI can ameliorate the accumulation of oxidative products and micro-inflammatory status.[Article in Chinese]

Qu 2009 at www.pubmed.gov accessed July 30, 2014. A study of Astragalus Injection (AI) on renal function in patients after cardiac valve replacement with cardiopulmonary bypass (CPB) shows that CPB could induce renal failure,& applying AI during perioperative stage can protect renal function to some extent. [Article in Chinese]

Sheng 1994 at www.pubmed.gov accessed July 30, 2014. Baoyuan Dahuang Decoction which includes 6 drugs including Astragalus membranaceus improved the quality of life of 56 chronic renal failure patients by reducing the urea nitrogen, adjusting the anemia and regulating the membrane function. [Article in Chinese].

Sheng 1994 at www.pubmed.gov accessed July 30, 2014. Chronic renal failure symptom scores was decreased from 12.5 to 5.6 in 36 patients by Baoyuan Dahuang Decoction (Panax ginseng, Astragalus membranaceus, Cassia cinnamomi, Glycyrrhiza uralensis & Rheum palmatum)

Sheng 2011 at www.pubmed.gov accessed July 30, 2014. The preparations of traditional Chinese medicines with Astragalus membranaceus, for invigorating the kidney and excreting calculus can reduce renal tubular damage induced by extracorporeal shock wave lithotripsy, and can shorten the recovery time of renal tubules in human subjects.

Shi 1991 at www.pubmed.gov accessed July 30, 2014. Ventricular late potential duration was shortened by Astragalus membranaceus in a small number of patients

Shi 1994 at www.pubmed.gov accessed July 30, 2014. In patients with positive ventricular late potentials, electrocardiogram was normalized in 13.6% (of 22) by Astragalus membranaceus and 12.5% (of 16) by lidocaine

Shi 1994 at www.pubmed.gov accessed July 30, 2014. Intervention of iv lidocaine & iv Astragalus membranaceus for 2 weeks was studied on 16 & 22 patients respectively with positive ventricular late potentials. RMS 40 was enlarged only after treatment of A.membranaceus but duration of HFQRSD & LAS were shortened [Article in Chinese].

Su 2007 at www.pubmed.gov accessed July 30, 2014. High-dose Astragalus injection used together with cyclophosphamide (CTX) is more effective than CTX alone in decreasing infection rate and urine protein and improving immune function forforty-three patients with lupus nephritis. [Article in Chinese]

Sun 1983 at www.pubmed.gov accessed July 30, 2014. Local graft versus host reaction (assay for T-cell function) is restored in 9 out of 10 patients by Astragalus membranaceus extract (10 microgram/ml)

Sun 2008 at www.pubmed.gov accessed July 30, 2014. The most frequently used herbs for qi deficiency were Astragalus membranaceus, Atractylodesmacrocephala, &Pseudostellariae; Caulis Spatholobi& Chinese jujube for blood asthenia; FructusCorni&Ophiopogonjaponicus for yin deficiency. [Article in Chinese]

Taixang 2005 at www.pubmed.gov accessed July 30, 2014. Update of 2003 Cochrane evidence-based review of Chinese medical herbs for chemotherapy side effects in colorectal cancer patients found that results suggest that decoctions of Huangqi compounds may stimulate immunocompetent cells and decrease side effects in patients treated with chemotherapy.

Tan 2001 at www.pubmed.gov accessed July 30, 2014. Salvia miltiorrhiza & Astragalus membranaceus improved portal hypertension in 42liver cirrhotic patients as they decreased the diameter, quantity of blood flow in portal & splenic vein but increased the speed of blood flow & improved the liver fibrosis indexes.[Article in Chinese].

Wang 1989 at www.pubmed.gov accessed July 30, 2014. Graft reaction was increased in 18 healthy and 9 cancer patients by Astragalus membranaceus polysaccharide extract FB

Wang 2004 at www.pubmed.gov accessed July 30, 2014. Compound FructusArctii Mixture which consists of FructusArctii and Radix Astragalus membranaceus has the effects of reducing urinary protein in 24 hrs, lowering urinary albumin, improving blood glucose after meal and lipid metabolism in 31 patients with diabetic nephropathy. [Article in Chinese]

Wang 2006 at www.pubmed.gov accessed July 30, 2014. A study on the levels of T-bet mRNA in peripheral blood mononuclear cells from 15 asthma patients showed that Astragalus membranaceus increased the expression of T-bet mRNA & T-helper cell type 1 (Thl) cytokines such as IFN-Y, & might reverse Th2 predominant status in asthma patients.

Wu 2006 at www.pubmed.gov accessed July 30, 2014. The change of cellular immunity in 63 serious abdominal traumatic patients& the effect of Astragalus Injection(AI)on it were explored which showed that after serious abdominal trauma cellular immunity was lowered & auxiliary use of AI was beneficial to restore the cellular immunity.

Xu 2008 at www.pubmed.gov accessed July 30, 2014. [Clinical observation of Astragalus Injection in treatment of renal injury in patients with primary hypertension]. [Article in Chinese]

Yan 1991 at www.pubmed.gov accessed July 30, 2014. Treatment with Kang Er Xin-I which consists of Astragalus membranaceus improved cardiac functional indexes in 26 patients & it also inactivated Coxsackie B3 virus & protected the heart cells in mice by promoting growth of interferon and by increasing the NK cell's function. [Article in Chinese].

Yan 1991 at www.pubmed.gov accessed July 30, 2014. Cardiac functional indexes improved in 26 patients by Kang Er Xin-I (Lonicera japonica, Ophiopogon japonicus, Astragalus membranaceus mainly). It also inactivates Coxsackie B3 virus

Yang 2001 at www.pubmed.gov accessed July 30, 2014. Effect of integrated traditional Chinese medicine which includes Astragalus membranaceus and western medicine,(TCM-WM) in 164 patients improved clinical symptoms and heart function in the TCM-WM group compared to control group and can be tried to treat dilated cardiomyopathy. [Article in Chinese].

Yang 2006 at www.pubmed.gov accessed July 30, 2014. TH1 cell subset (TCS) dysfunction may exist in recurrent tonsillitis (RT) children at the remission stage, suggesting TCS dysfunction plays a role in the pathogenesis of RT. Astragalus membranacus can improve TCS function & hence important in treating RT. [Article in Chinese]

Zee-Cheng 1992 at www.pubmed.gov accessed July 30, 2014. Shi-Quan-Da-Bu-Tang (Ten Significant, composed of Rehmannia, Paeonia, Liqusticum, Angelica, Glycyrrhiza, Poria, Atractylodes, Panax, Astragalus membranaceus & Cinnamomum) tones the blood & vital energy, and strengthens health & immunity

Zhang 1990 at www.pubmed.gov accessed July 30, 2014. Adolescent brain dysfunction improved more with TCM (Bupleurum chinense, Scutellaria baicalensis, Astragalus membranaceus, Codonopsis pilosula, Ligustrum lucidum, Lophatherum gracile & ivory thread) than with Ritalin

Zhang 1993 at www.pubmed.gov accessed July 30, 2014. 320 patients with chronic hepatitis B had greater improvement with Yi-ganning (Astragalus membranaceus, Artemisia capillaris, Codonopsis pilosula, etc.) than oleanolic acid controls

Zhang 1993 at www.pubmed.gov accessed July 30, 2014. 320 patients with chronic hepatitis B treated with Yi-ganning Granule which contains Astragalus membranaceus showed effective recovery of liver function and 60 of 62 patients were in a stabilized state. [Article in Chinese].

Zhao 1992 at www.pubmed.gov accessed July 30, 2014. Pre-incubation of peripheral blood mononuclear cells separately with Astragalus membranaceus and Tripterygium hypoglaucum stimulated Natural killer cytotoxicity both in systemic lupus erythematosus patients and healthy donors. [Article in Chinese].

Zong 1993 at www.pubmed.gov accessed July 30, 2014. Ozone induced radicals are scavenged by Huayu (Angelica sinensis, Paeonia lactiflora, Ligusticum wallichii, Spathollobus suberectus, Hirudo nipponica, Tabanus bivittatus, Paeonia suffroticosa, Astragalus membranaceus)

Zong 1993 at www.pubmed.gov accessed July 30, 2014. Huayu decoction which composed of Astragalus membranaceus reduced the activity of erythrocyte superoxide dismutases in 49 cases of infantile pneumonia in acute stage which returned to normal in convalescence. [Article in Chinese].

Zou 2003 at www.pubmed.gov accessed July 30, 2014. The clinical improving rate and quality of life elevation rate in 60 patients with advanced non-small cell lung cancer were found to be 80.4% and 43.3% respectively in Astragalus (i.v. drip 60 ml/day) treated group as against 50.0% and 23.3% respectively in control group given chemotherapy alone.

Zwickey 2007 at www.pubmed.gov accessed July 30, 2014. A double-blind, repeated within subject, randomized pilot study examined CD25 expression on T cells after ingestion of three herbs: Echinacea purpurea (EP), Astragalus membranaceus (AM) &Glycyrrhizaglabra (GC), administered which showed a notable increases in activation by AM.